

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. CONFIRMATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEÝ DOCKET NO. MASIMO.305A 8742 Walter M. Weber 10/615,333 07/08/2003 **EXAMINER** 20995 7590 07/11/2005 KNOBBE MARTENS OLSON & BEAR LLP KREMER, MATTHEW J 2040 MAIN STREET ART UNIT PAPER NUMBER FOURTEENTH FLOOR IRVINE, CA 92614 3736

DATE MAILED: 07/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

|  |   | m M  | ~ |
|--|---|--|---|
|  | Application No.   | Applicant(s)   |   |
| Office Action Comments   | 10/615,333  | WEBER ET AL.   |   |
| Office Action Summary  | Examiner  | Art Unit   |   |
|  | Matthew J. Kremer   | 3736   |   |
| The MAILING DATE of this communication Period for Reply  | appears on the cover sheet wit  | h the correspondence address   |   |
| A SHORTENED STATUTORY PERIOD FOR RETHE MAILING DATE OF THIS COMMUNICATION  - Extensions of time may be available under the provisions of 37 CF after SIX (6) MONTHS from the mailing date of this communication. If the period for reply specified above is less than thirty (30) days, If NO period-for reply is specified above, the maximum statutory provided to reply within the set or extended period for reply will, by some Any reply received by the Office later than three months after the rearned patent term adjustment. See 37 CFR 1.704(b). | ON. FR 1.136(a). In no event, however, may a ren. a reply within the statutory minimum of thirty eriod will apply and will expire SIX (6) MON' statute, cause the application to become AB. | ply be timely filed  (30) days will be considered timely.  HS from the mailing date of this communication.  INDONED (35 U.S.C. § 133). |   |
| Status   |   |  |   |
| 1) Responsive to communication(s) filed on 2   | 26 April 2005.  |  |   |
| 2a)⊠ This action is <b>FINAL</b> . 2b)□  | This action is non-final.   |  |   |
| 3) Since this application is in condition for all  | owance except for formal matte  | ers, prosecution as to the merits is   |   |
| closed in accordance with the practice und   | der <i>Ex parte Quayle</i> , 1935 C.D.  | 11, 453 O.G. 213.  |   |
| Disposition of Claims  |   |  |   |
| 4) Claim(s) 1-19 is/are pending in the application   | ation.  |  |   |
| 4a) Of the above claim(s) is/are with  | ndrawn from consideration.  |  |   |
| 5)⊠ Claim(s) <u>13-17</u> is/are allowed.  |   |  |   |
| 6)⊠ Claim(s) <u>1-3,10-12,18 and 19</u> is/are reject  | ed.   |  |   |
| 7) Claim(s) <u>4-9</u> is/are objected to.   |   |  |   |
| 8) Claim(s) are subject to restriction a   | nd/or election requirement.   |  |   |
| Application Papers   |   |  |   |
| 9)☐ The specification is objected to by the Exa  | miner.  |  |   |
| 10)☐ The drawing(s) filed on is/are: a)☐   |   |  |   |
| Applicant may not request that any objection to  |   |  |   |
| Replacement drawing sheet(s) including the co  |   |  |   |
| 11)☐ The oath or declaration is objected to by th  | e Examiner. Note the attached   | Office Action or form PTO-152.   |   |
| Priority under 35 U.S.C. § 119   |   |  |   |
| <ul> <li>12) Acknowledgment is made of a claim for for a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority docur</li> <li>2. Certified copies of the priority docur</li> </ul>   | ments have been received.   |  |   |
| 3. Copies of the certified copies of the   |   |  |   |
| application from the International Bu  | , ,   | received in this Matienal Glage  |   |
| * See the attached detailed Office action for a  | ,   | received.  |   |
|  | ·   |  |   |
| Attachment(s)  |   |  |   |
| <ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> </ol>   |   | ummary (PTO-413)<br>/Mail Date   |   |
| Notice of Draitsperson's Patent Drawing Review (PTO-940)     Information Disclosure Statement(s) (PTO-1449 or PTO/S Paper No(s)/Mail Date 1/10/2005.   |   | formal Patent Application (PTO-152)  |   |

#### **DETAILED ACTION**

### Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claim 18-19 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S> Patent 5,995,858 to Kinast. In regard to claim 18, Kinast teaches a means for applying a first demodulation signal in the form of a first phase-sensitive demodulator and a means for adjusting a phase of said demodulation signal in the form of error correction means for correcting for residual phase errors. (claim 3 of Kinast). In regard to claim 19, Kinast teaches a means for applying a second demodulation signal in the form of a second phase-sensitive demodulator and a means for adjusting a phase of said demodulation signal in the form of error correction means for correcting for residual phase errors. (claim 3 of Kinast).

### Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 4. Claims 1-3 and 10-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 5,919,134 to Diab. Diab teaches a method and an apparatus measure blood oxygenation in a subject that includes:
- (1) a first signal source applying a first input signal during a first time interval;
- (2) a second signal source applying a second input signal during a second time interval;
- (3) a detector detecting a first parametric signal responsive to the first input signal passing through a portion of the subject having blood therein and detecting a second parametric signal responsive to the second input signal passing through the portion of the subject, the detector generating a detector output signal responsive to the first and second parametric signals; and
- (4) a signal processor which receives the detector output signal, the signal processor demodulating the detector output signal by applying a first demodulation signal to a signal responsive to the detector output signal to generate a first output (which is considered the first demodulator output signal) and applying a second demodulation signal to the signal responsive to the detector output signal to generate a second output signal (which is considered a second demodulator output signal), the first demodulation signal and the second demodulation signal both include at least a first component having a first frequency (both signals have the same frequency) and a first amplitude. (Abstract of Diab). Note that even though, the first amplitude of the second demodulation signal and the first amplitude of the first demodulation signal are equal, the first amplitude of the second demodulation signal of Diab is considered the second

amplitude of the second demodulation signal of the present invention since they are distinct (though equal) amplitudes. Diab further teaches that a second amplitude from the first and second demodulation signals of Diab is related to the first amplitude to minimize crosstalk from the first parametric signal to the second output signal and to minimize crosstalk from the second parametric signal to the first output signal. This teaching means that the amplitudes of the first and second demodulation signals of Diab (which is considered to the first amplitude of the first demodulation signal and second amplitude of the second demodulation of the present invention) are chosen to reduce crosstalk from the first parametric signal to the second demodulator output signal and to reduce crosstalk from the second parametric signal to the first demodulator output signal since they are related to the second amplitude of the second component of the first and second demodulation signals.

Finally, Diab teaches that the first component of the second demodulation signal is in a selected phase relationship with the first component of the first demodulation signal, which implies that the first components of the first and second demodulation signal have phases.

It is noted that Diab does not explicitly teach that at least one of the first phase, second phase, first amplitude, and second amplitude is chosen using, in part, data obtained from the detector during calibration of the apparatus. However, Diab teaches that parameters are chosen to minimize crosstalk and such a teaching indicates that during calibration, development, and testing of the apparatus, measured data was obtained so that the operating parameters are selected that would minimize crosstalk.

Such procedures are known methods of optimizing any measuring apparatus.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to obtain measured data during calibration, development, and testing of the apparatus to select the operating parameters of the invention of Diab since such procedures are used to optimize any apparatus.

Page 5

In regard to claim 3, Diab teaches a method of minimizing crosstalk between two signals generated by applying a first pulse and a second pulse to measure a parameter. The first pulse and the second pulse are applied periodically at a first repetition rate defining a period. The first pulse is generated during a first interval in each period, and the second pulse is generated during a second interval in each period. The first and second parametric signals are received by a single detector, which outputs a composite signal responsive to the first and second parametric signals. The method comprises the step of applying a first demodulation signal to the composite signal to generate a first demodulated output signal wherein the first demodulation signal comprises at least a first component having a first frequency corresponding to the first repetition rate and a first amplitude. The method further includes the step of applying a second demodulation signal to the composite signal to generate a second demodulated output signal. The second demodulation signal comprises the first component at the first frequency and the first amplitude and further comprises the second component at the second frequency and the second amplitude. The method further includes the steps of lowpass filtering the first demodulated output signal to generate a first recovered output signal responsive to the first parametric signal; and lowpass filtering the second

demodulated output signal to generate a second recovered output signal responsive to the second parametric signal. The phases of the components of the first and second demodulation signals are chosen since at least one of the first and second components of the second demodulation signal has a selected phase difference with respect to the corresponding one of the first and second components of the first demodulation signal. (column 2, line 61 to column 3, line 31 of Diab). Diab further teaches that the selection of the first demodulating signal (its amplitudes and frequency) and the second demodulating signal (its amplitudes and frequency) substantially reduces or eliminates the effects of noise in the two output signals and also substantially reduces or eliminates crosstalk between the two filtered signals.

It is noted that Diab does not explicitly teach that at least one of the first phase, second phase, first amplitude, and second amplitude is chosen using, in part, data obtained from the detector during calibration of the apparatus. However, Diab teaches that parameters are chosen to minimize crosstalk and such a teaching indicates that during calibration, development, and testing of the apparatus, measured data was obtained so that the operating parameters are selected that would minimize crosstalk. Such procedures are known methods of optimizing any measuring apparatus.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to obtain measured data during calibration, development, and testing of the apparatus to select the operating parameters of the invention of Diab since such procedures are used to optimize any apparatus.

Application/Control Number: 10/615,333 Page 7

Art Unit: 3736

In regard to claims 10-12, Diab teaches that the second amplitude of the demodulated signal is related to the first amplitude of the demodulated signal to minimize crosstalk from the first parametric signal to the second output signal, which means these parameters were adjusted during calibration, development, and testing so that the optimized parameters could be selected. (Abstract of Diab). In regard to claim 11, a second demodulated signal is disclosed. (Abstract of Diab).

# Allowable Subject Matter

- 5. Claims 4-9 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 6. Claim 13-17 are allowed.

## Response to Arguments

7. Applicant's arguments filed 4/26/2005 have been fully considered but they are not persuasive. In regard to claim 18, the Applicant merely asserted that Kinast does not teach the limitations of claim 18 without providing any explanation for this assertion. The Examiner respectfully disagrees. Kinast teaches a means for applying a first demodulation signal in the form of a first phase-sensitive demodulator and a means for adjusting a phase of said demodulation signal in the form of error correction means for correcting for residual phase errors. (claim 3 of Kinast). In regard to claim 19, the

Art Unit: 3736

Applicant merely asserted that Kinast does not teach the limitations of claim 19 without providing any explanation for this assertion. The Examiner respectfully disagrees. Kinast teaches a means for applying a second demodulation signal in the form of a second phase-sensitive demodulator and a means for adjusting a phase of said demodulation signal in the form of error correction means for correcting for residual phase errors. (claim 3 of Kinast).

8. Applicant's arguments with respect to claims 1-3 and 10-12 have been considered but are most in view of the new ground(s) of rejection.

#### Conclusion

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew J. Kremer whose telephone number is 571-272-4727. The examiner can normally be reached on Mon. through Fri. between 8:30 a.m. - 5:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on 571-272-4726. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Matthew Kremer Assistant Examiner

Art Unit 3736

Page 9